

Haaks naar buiten geplooid				
Artikel	Draad d (mm)	Binnendiameter DI (mm)	Buitendiameter DE (mm)	Totale lengte TL (mm)
HV-77050-5.0-0450-L	5	50	60	450
HV-77050-5.0-0450-R	5	50	60	450
HV-77050-5.0-0500-L	5	50	60	500
HV-77050-5.0-0500-R	5	50	60	500
HV-77050-5.0-0550-L	5	50	60	550
HV-77050-5.0-0550-R	5	50	60	550
HV-77050-5.0-0600-L	5	50	60	600
HV-77050-5.0-0600-R	5	50	60	600
HV-77050-5.0-0650-L	5	50	60	650
HV-77050-5.0-0650-R	5	50	60	650
HV-77050-5.0-0700-L	5	50	60	700
HV-77050-5.0-0700-R	5	50	60	700
HV-77050-5.0-0750-L	5	50	60	750
HV-77050-5.0-0750-R	5	50	60	750
HV-77050-5.0-0800-L	5	50	60	800
HV-77050-5.0-0800-R	5	50	60	800
HV-77050-5.0-0850-L	5	50	60	850
HV-77050-5.0-0850-R	5	50	60	850
HV-77050-5.0-0900-L	5	50	60	900
HV-77050-5.0-0900-R	5	50	60	900
HV-77050-5.0-0950-L	5	50	60	950
HV-77050-5.0-0950-R	5	50	60	950
HV-77050-5.0-1000-L	5	50	60	1000
HV-77050-5.0-1000-R	5	50	60	1000
HV-77050-5.5-0500-L	5,5	50	61	500
HV-77050-5.5-0500-R	5,5	50	61	500
HV-77050-5.5-0550-L	5,5	50	61	550
HV-77050-5.5-0550-R	5,5	50	61	550
HV-77050-5.5-0600-L	5,5	50	61	600
HV-77050-5.5-0600-R	5,5	50	61	600
HV-77050-5.5-0650-L	5,5	50	61	650
HV-77050-5.5-0650-R	5,5	50	61	650
HV-77050-5.5-0700-L	5,5	50	61	700
HV-77050-5.5-0700-R	5,5	50	61	700
HV-77050-5.5-0750-L	5,5	50	61	750
HV-77050-5.5-0750-R	5,5	50	61	750
HV-77050-5.5-0800-L	5,5	50	61	800
HV-77050-5.5-0800-R	5,5	50	61	800
HV-77050-5.5-0850-L	5,5	50	61	850
HV-77050-5.5-0850-R	5,5	50	61	850
HV-77050-5.5-0900-L	5,5	50	61	900
HV-77050-5.5-0900-R	5,5	50	61	900
HV-77050-5.5-0950-L	5,5	50	61	950
HV-77050-5.5-0950-R	5,5	50	61	950
HV-77050-5.5-1000-L	5,5	50	61	1000
HV-77050-5.5-1000-R	5,5	50	61	1000

Haaks naar buiten geplooid				
Artikel	Draad d (mm)	Binnendiameter DI (mm)	Buitendiameter DE (mm)	Totale lengte TL (mm)
HV-77050-6.0-0500-L	6	50	62	500
HV-77050-6.0-0500-R	6	50	62	500
HV-77050-6.0-0550-L	6	50	62	550
HV-77050-6.0-0550-R	6	50	62	550
HV-77050-6.0-0600-L	6	50	62	600
HV-77050-6.0-0600-R	6	50	62	600
HV-77050-6.0-0650-L	6	50	62	650
HV-77050-6.0-0650-R	6	50	62	650
HV-77050-6.0-0700-L	6	50	62	700
HV-77050-6.0-0700-R	6	50	62	700
HV-77050-6.0-0750-L	6	50	62	750
HV-77050-6.0-0750-R	6	50	62	750
HV-77050-6.0-0800-L	6	50	62	800
HV-77050-6.0-0800-R	6	50	62	800
HV-77050-6.0-0850-L	6	50	62	850
HV-77050-6.0-0850-R	6	50	62	850
HV-77050-6.0-0900-L	6	50	62	900
HV-77050-6.0-0900-R	6	50	62	900
HV-77050-6.0-0950-L	6	50	62	950
HV-77050-6.0-0950-R	6	50	62	950
HV-77050-6.0-1000-L	6	50	62	1000
HV-77050-6.0-1000-R	6	50	62	1000
HV-77050-6.5-0500-L	6,5	50	63	500
HV-77050-6.5-0500-R	6,5	50	63	500
HV-77050-6.5-0550-L	6,5	50	63	550
HV-77050-6.5-0550-R	6,5	50	63	550
HV-77050-6.5-0600-L	6,5	50	63	600
HV-77050-6.5-0600-R	6,5	50	63	600
HV-77050-6.5-0650-L	6,5	50	63	650
HV-77050-6.5-0650-R	6,5	50	63	650
HV-77050-6.5-0700-L	6,5	50	63	700
HV-77050-6.5-0700-R	6,5	50	63	700
HV-77050-6.5-0750-L	6,5	50	63	750
HV-77050-6.5-0750-R	6,5	50	63	750
HV-77050-6.5-0800-L	6,5	50	63	800
HV-77050-6.5-0800-R	6,5	50	63	800
HV-77050-6.5-0850-L	6,5	50	63	850
HV-77050-6.5-0850-R	6,5	50	63	850
HV-77050-6.5-0900-L	6,5	50	63	900
HV-77050-6.5-0900-R	6,5	50	63	900
HV-77050-6.5-0950-L	6,5	50	63	950
HV-77050-6.5-0950-R	6,5	50	63	950
HV-77050-6.5-1000-L	6,5	50	63	1000
HV-77050-6.5-1000-R	6,5	50	63	1000
HV-77050-6.5-1200-L	6,5	50	63	1200
HV-77050-6.5-1200-R	6,5	50	63	1200

Haaks naar buiten geplooid				
Artikel	Draad d (mm)	Binnendiameter DI (mm)	Buitendiameter DE (mm)	Totale lengte TL (mm)
HV-77067-6.0-0650-L	6	67	79	650
HV-77067-6.0-0650-R	6	67	79	650
HV-77083-6.0-0600-L	6	83	95	600
HV-77083-6.0-0600-R	6	83	95	600
HV-77083-6.0-0700-L	6	83	95	700
HV-77083-6.0-0700-R	6	83	95	700
HV-77083-8.0-0731-L	8	83	99	731
HV-77083-8.0-0731-R	8	83	99	731
HV-77095-7.0-0570-L	7	95	109	570
HV-77095-7.0-0570-R	7	95	109	570
HV-77095-8.0-0870-L	8	95	111	870
HV-77095-8.0-0870-R	8	95	111	870
HV-77095-8.5-1300-R	8,5	95	112	1300
HV-77095-9.5-1300-L	9,5	95	114	1300
HV-77095-9.5-1300-R	9,5	95	114	1300
HV-77152-11.0-1300-L	11	152	174	1300
HV-77152-11.0-1300-R	11	152	174	1300